

O S M I C PRODUCTIONS

3D HOLOGRAM FAN

Break through the visual experience and break the traditional display



Z3 HDMI REAL-TIME PLAYBACK



Fiber optic cable
Long transmission distance
and zero delay



HDMI transceiver
Easy to install Lightweight
and bendable



HDMI cable
Strong against signal
interference

Display diameter **65cm**

LED QTY. **960 leds**

Size(mm) 650x650x7

Resolution(dpi) 7

Viewing Angle 2048x960

PCS per carton 170°

Carton size(cm) 1

Carton Gross weight 76x26.6x1

3 6.5kg



100

Rated power(w)

720

Revolutions

2000

Luminance

Z5S

HDMI REAL-TIME PLAYBACK



Fiber optic cable
Long transmission distance and zero delay



HDMI transceiver
Easy to install Lightweight and bendable



HDMI cable
Strong against signal interference

Display diameter **100cm**

LED QTY. **1440 leds**

Size(mm)	1000x1000x77
Resolution(dpi)	20 4 8x14 4 0
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	76x26.6x13
Carton Gross weight	7kg

150
Rated power(w)

700
Revolutions

2000
Luminance

Z4 HDMI REAL-TIME PLAYBACK



Fiber optic cable
Long transmission distance
and zero delay



HDMI transceiver
Easy to install Lightweight
and bendable



HDMI cable
Strong against signal
interference

Display diameter **150cm**

LED QTY. **2880 leds**

Size(mm)	1500x1500x140
Resolution(dpi)	2048x2880
Viewing Angle	170°
PCS per carton	1
Carton size(cm)	83x4.56x255
Carton Gross weight	15kg

320

Rated power(w)

350

Revolutions

4000

Luminance



Z200 HDMI REAL-TIME PLAYBACK



Fiber optic cable
Long transmission distance
and zero delay



HDMI transceiver
Easy to install Lightweight
and bendable



HDMI cable
Strong against signal
interference

Display diameter

180cm

LED QTY.

2512 leds

Size(mm)	1800x1800x1
Resolution(dpi)	40 20 4 8 x
Viewing Angle	2512
PCS per carton	170°
Carton size(cm)	1
Carton Gross weight	99x46.5x25
	16.5kg

400

Rated power(w)

350

Revolutions

1800

Luminance

3D Holographic Advertising Machine

Brand-new vision | High-definition naked eyes | Eye-catching drainage

42cm Z1/ Z 2	52cm Z7H	56cm Z6/ Z6H	65cm Z3/Z3_2020 /Z3H
80cm Z8	100cm Z5_2020/ Z5S	150cm Z4	180cm Z200



16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material





Use in multiple scenarios

Application shopping malls, exhibitions, bars, railway stations, parties, signs, etc.



Multiple Splicing Unlimited Size

Support nationwide door-to-door service, professional one-on-one guidance





42cm 3D LED FAN

Support system   

Model no.	Z1	Z2-32	Z2-42
Size (mm)	420x71x41	320x71x41	420x71x41
Resolution (dpi)	430x224	1024x224	1024x384
LED QTY.	2x112	2x112	2x192
Content replacement mode	TF card	TF card & Android& IOS	TF card & Android& IOS
Rated power	20w	36w	36w
Revolutions/Luminance	1300/1200	1200/1500	1200/1500
PCS per carton	10	10	10
Carton size (cm)	48.5x44x23.5	48.5x44x23.5	48.5x44x23.5
Carton Gross weight	6.7kg	6.2kg	7.1kg

Application Function



16G TF card



Multi mode



Bluetooth Audio



APP Edit




Free material

Note: Z1 only supports WINDOWS, and does not support Bluetooth audio, multi-unit splicing, and APP editing.

3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN

O S M I C PRODUCTIONS



52cm 3D LED FAN

Support system



Model no.	Z7H
Size (mm)	520 x 520 x 55
Resolution (dpi)	1600x576
LED QTY.	4x144
Rated power	30w
Revolutions (rpm)	700
Luminance	1200
PCS per carton	10
Carton size (cm)	48.5x43.5x41.5
Carton Gross weight	12kg

Application Function



16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material



56cm 3D LED FAN

Support system   

Model no.	Z6	Z6H
Size (mm)	560x560x85	560 x560 x55
Resolution (dpi)	1600x616	1600x640
LED QTY.	4x154	4x160
Rated power	24w	36w
Revolutions (rpm)	670	700
Luminance	1200	1200
PCS per carton	10	10
Carton size (cm)	48.5x43.5x41.5	48.5x43.5x41.5
Carton Gross weight	18kg	15kg

Application Function



16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material



65cm 3D LED FAN

Support system   

Model no.	Z3	Z3_2020	Z3H
Size (mm)	650 x 650 x 85	650 x 650 x 55	650 x 650 x 55
Resolution (dpi)	1600x768	16 0 0 x1152	1600x960
LED QTY.	4x192	4x 28 8	4x240
Rated power	60w	80w	60w
Revolutions (rpm)	700	700	700
Luminance	1300	1500	1800
PCS per carton	10	10	10
Carton size (cm)	4 8 .5x43.5x41.5	4 8 .5x43.5x41.5	4 8 .5x43.5x41.5
Carton Gross weight	15kg	15kg	15kg

Application Function




16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material








80cm 3D LED FAN

Support system   

Model no.	Z8
Size (mm)	800x800x55
Resolution (dpi)	1600x960
LED QTY.	4x240
Rated power	60w
Revolutions (rpm)	700
Luminance	1800
PCS per carton	10
Carton size (cm)	58x47x50
Carton Gross weight	22.5kg

Application Function

-  16G TF card
-  Multi mode
-  Bluetooth Audio
-  APP Edit
-  Free material

100cm 3D LED FAN

Support system   

Model no.	Z5_2 02 0	Z5S
Size (mm)	1000x1000x77	1000x1000x77
Resolution (dpi)	1024x1024	20 4 8x14 4 0
LED QTY.	4x 256	4x 36 0
Rated power	130w	150w
Revolutions (rpm)	700	700
Luminance	1500	2000
PCS per carton	10	10
Carton size (cm)	58x47x50	58x47x50
Carton Gross weight	31.3kg	31.3kg

Application Function



16G TF card



Multi mode




Bluetooth Audio




APP Edit



Free material





120cm 3D LED FAN

Support system



Model no.	Z9
Size (mm)	1200x1200x85
Resolution (dpi)	2048x1440
LED QTY.	4x360
Rated power	150w
Revolutions (rpm)	700
Luminance	2000
PCS per carton	10
Carton size (cm)	58x47x50
Carton Gross weight	33kg

Application Function



16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material









150cm 3D LED FAN

Support system   

Model no.	Z4
Size (mm)	1500x1500x140
Resolution (dpi)	2048x2880
LED QTY.	8x360
Rated power	320w
Revolutions (rpm)	350
Luminance	2000
PCS per carton	1
Carton size (cm)	83x4.56x255
Carton Gross weight	15kg

Application Function

-  16G TF card
-  Multi mode
-  Bluetooth Audio
-  APP Edit
-  Free material



180cm 3D LED FAN

Support system   

Model no.	Z200
Size (mm)	1800x1800x140
Resolution (dpi)	20 4 8 x 2512
LED QTY.	8x314
Rated power	400w
Revolutions (rpm)	350
Luminance	1800
PCS per carton	1
Carton size (cm)	99x46.5x25
Carton Gross weight	16.5kg

Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit





Free material





15cm

HOLIDAY DECORATION MODELS

Support system  

Model no.	Z15
Resolution (dpi)	128x128
LED QTY.	64
Built-in battery	Working hours > 6 h
control method	wifi上传
Charging voltage	5V, 1A
input interface	1x Type-C
Output Interface	1x USB
Package size(cm)	19 x 6 .5x 26

Application Function

-  Bluetooth Audio
-  APP Edit
-  Free material





3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN 3D LED FAN

OSMIC PRODUCTIONS



10cm

PORTABLE HOLOGRAPHIC FAN

Support system  

Model no.	Z10
Resolution (dpi)	96x96
LED QTY.	48
Built-in battery	Working hours > 6 h
input interface	1x Type-C
Output Interface	1xUSB,2000ma power supply
Package Size	28.8x17x5.5cm
PCS per carton	20
Outer box size (cm)	60x36x30



Application Function




Bluetooth Audio




APP Edit



Free material



Ceiling installation



Wall-mounted

Desktop placement



Floor stand





DH SERIES

Support system   

Model no.	Z2-32	Z2-42
Size (mm)	360x360x75	450x450x75
Resolution (dpi)	1024x224	1024x384
LED QTY.	2x112	2x192
Rated power	36w	36w
Revolutions (rpm)	1200	1200
Luminance	1500	1500
PCS per carton	10	10
Carton size (cm)	40x40x40	49x49x49
Carton Gross weight	8kg	10kg

Application Function




16G TF card



Multi mode



Bluetooth Audio



APP Edit



Free material



DH SERIES

Support system   

Model no.	Z7H	Z6H	Z3_2020
Size (mm)	520 x 520 x 55	560 x 560 x 55	650 x 650 x 55
Resolution (dpi)	1600x576	1600x640	1600 x 1152
LED QTY.	4x144	4x160	4x 288
Rated power	30w	36w	80w
Revolutions (rpm)	700	700	700
Luminance	1200	1200	1500
PCS per carton	10	10	10
Carton size (cm)	48.5x43.5x41.5	48.5x43.5x41.5	48.5x43.5x41.5
Carton Gross weight	12kg	15kg	15kg

Application Function




16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material



DH SERIES

Support system   

Model no.	HDMI-65CM
Size (mm)	706x706x116
Resolution (dpi)	2048x960
LED QTY.	4x240
Rated power	100w
Revolutions (rpm)	720
Luminance	2000
PCS per carton	1
Carton size (cm)	80x16x79.5
Carton Gross weight	6.5kg

Application Function



16G TF card



Multi mode




Bluetooth Audio



APP Edit



Free material



DZ SERIES

Support system   

Matching model

Z2 42cm / Z7H 52cm / Z6H 56cm / Z3 65cm

Application Function



16G TF card



Bluetooth Audio



APP Edit



Free material



DB SERIES

Support system   

Matching model

Z2 42cm / Z7H 52cm / Z6H 56cm / Z3 65cm

Application Function



16G TF card



Bluetooth Audio




APP Edit



Free material

Transparent protective cover

Z-ACRYLIC-42/52



58cm

Z-ACRYLIC-56/65



75cm

Z-ACRYLIC-80/100



113cm



Z1(42cm)/Z7H(52cm)

Z3(65cm)

Z5(100cm)

Matching model	Z1(42cm)/Z7H(52cm)	Z6(56cm)/Z3(65cm)	Z8(80)/Z5(100cm)
Size	58x58x15cm	75x75x13cm	113x113x16cm
Carton size	67x66x21cm	78x78x16cm	119 x115x19 cm
Carton Gross weight	2.9 KG	4.5KG	9KG
Shell material	PC+PVC	PC+PVC	PC+PVC

Other accessories



Product name Holographic tripod
 Product weight 4KG
 Surface treatment Piano paint
 Product material cold rolled steel
 Package Size 12x14x90cm
 product height 130cm-210cm
 Weight capacity 40KG
 Product color black



Product name Holographic Ceiling Bracket Shortest
 size 65cm
 Longest size 105cm
 Mounting panel size 11.5x11.5cm
 Upper mounting hole 9x9cm
 Bottom mounting hole 7x7cm
 14.5x14.5cm



Product name Holographic Desktop Stand
 Product Size 58x58x16cm



Product name Display stand
 Applicable models Z5(100cm)
 Display diameter 100cm
 Product Size 120x47.1x180cm
 Shell material Acrylic cover + wooden base



Product name Double-sided bracket
 Display diameter 52cm/65cm
 Product material Acrylic
 Applicable models Z7/Z3H



Mobile lithium battery



One to nine power supply

MULTIPLE SPLICING - UNLIMITED SIZE




Positive display effect



Side effects



On-site installation effect



Splicing units	Built-in model	Display size
3x3 (9 units)	Z3/Z3H	1.6x1.6m
4x4 (16 units)	Z3/Z3H	2.1x2.1m
5x5 (25 units)	Z3/Z3H	2.5x2.5m


UNLIMITED SPLICING - MODULAR DESIGN




4x4 16 splicing acrylic module installation



Side effects




Flight case transport




Module size	1100x1100mm
Panel material	Acrylic
Frame material	Aluminum (customizable)
Splicing size	Unlimited stitching


65cm holographic fan splicing reference scheme




3 Splicing



9 Splicing



12 Splicing



48 Splicing

Transparent OLED products



Wide viewing angle 178°
Any direction is a golden perspective, beautiful without dead ends



Transparent display 40% transparency
Integrate with the environment and awaken the harmonious beauty



High contrast ratio 150000:1
The details of light and shade extend infinitely, and imagination has no boundaries



Wide color gamut 120%
Restore the real world, beautiful without fear of color difference



10 point capacitive touch
Wireless screen transmission, multiple intelligent interactions: wonderful interaction without distance



Email: info@osmicproductions.com

website: osmicproductions.com.au

Address: Unit 13/225A Brisbane Road, Biggera Watters, 4216 QLD Australia

T